


2500	3000	4000	5000	5500
500	500	450	350	250
238	286	343	333	262



Gear Ratio: 3.42

26 Inch: 0.00126 miles/tire rev      793 Rev's per mile (Source BFG's web site, size 275/50)  
 28 Inch: 0.00135 miles/tire rev      743 Rev's per mile (Source BFG's web site, size 275/60)


**26" Tire**

	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
2.74	1239	2477	3716	4954	6193												
1.57	710	1419	2129	2839	3548	4258	4968	5677									
1		904	1356	1808	2260	2712	3164	3616	4068	4520	4972	5424	5876				
0.67			909	1211	1514	1817	2120	2423	2726	3028	3331	3634	3937	4240	4543	4846	5148

**28" Tire**

	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170
2.74	1160	2321	3481	4642	5802												
1.57	665	1330	1995	2660	3325	3989	4654	5319									
1		847	1271	1694	2118	2541	2965	3388	3812	4235	4659	5082	5506				
0.67			851	1135	1419	1703	1986	2270	2554	2838	3121	3405	3689	3973	4256	4540	4824

Shift Points - 26" Tires



### Shift Points - 28" Tire

